# Toxicology in Vitro

*An international journal published in association with BIBRA*

**Volume 7 1993**

**List of Contents**

**Pergamon**

# TOXICOLOGY IN VITRO

*An international journal published in association with BIBRA*



*Joint Editors*

SHARAT D. GANGOLLI
*Medical Research Council,*
*Toxicology Unit, Hodgkin Building,*
*University of Leicester, P.O. Box 138,*
*Lancaster Road, Leicester LE1 9HN, UK*

IAIN F. H. PURCHASE
*Zeneca Central Toxicology Laboratory,*
*Alderley Park,*
*Macclesfield, Cheshire*
*SK10 4TJ, UK*

*Associate Editor*
DANIEL ACOSTA
*Department of Pharmacology and Toxicology,*
*College of Pharmacy, University of Texas,*
*Austin, TX 78712, USA*

*Review Editor*
PHILIP A. BOTHAM
*Zeneca Central Toxicology Laboratory,*
*Alderley Park, Macclesfield, Cheshire,*
*SK10 4TJ, UK*

*Managing Editor*
TUAN HÔ
*BIBRA Toxicology International,*
*Woodmansterne Road, Carshalton,*
*Surrey SM5 4DS, UK*

*Editorial Assistant*
STELLA HILL
*BIBRA Toxicology International*
*Woodmansterne Road, Carshalton,*
*Surrey SM5 4DS, UK*

*International Editorial Board*

**J. C. Barrett**
NIEHS, Research Triangle Park
NC, USA

**E. Borenfreund**
Rockefeller University
New York, NY, USA

**J. Bradlaw**
FDA
Washington, DC, USA

**N. Brown**
St George's Hospital and Medical School
London, UK

**B. Ekwall**
University of Uppsala
Uppsala, Sweden

**R. Fahrig**
Fraunhofer-Institut für Toxikologie und Aerosol-Forschung
Hannover, Germany

**J. L. Farber**
Thomas Jefferson University
Philadelphia, PA, USA

**H. R. Glatt**
University of Mainz
Mainz, Germany

**T. J. B. Gray**
Sterling–Winthrop Research Centre
Alnwick, UK

**A. Guillouzo**
Hôpital de Pontchaillou
INSERM, Rennes, France

**G. C. Hard**
American Health Foundation
Valhalla, NY, USA

**C. A. McQueen**
University of Arizona
Tucson, AZ, USA

**P. Maier**
Swiss Federal Institute of Technology and University of Zurich
Schwerzenbach, Switzerland

**M. Nagao**
National Cancer Center Research Institute
Tokyo, Japan

**K. Onozaki**
Nagoya City University
Nagoya, Japan

**W. E. Parish**
Unilever Research
Bedford, UK

**J. A. Popp**
Sterling Winthrop Inc.,
Collegeville, PA, USA

**N. Stacey**
National Institute of Occupational Health and Safety
Sydney, Australia

**K. A. Stitzel**
The Procter & Gamble Company
Cincinnati, OH, USA

**H. Tahti**
University of Tampere
Tampere, Finland

**P. J. van Bladeren**
TNO–CIVO Institute
Zeist, The Netherlands

**E. Walum**
University of Stockholm
Stockholm, Sweden

**F. Zucco**
Consiglio Nazionale Delle Ricerche
Rome, Italy



**Publishing Office**
Pergamon Press Ltd, Pergamon House, Bampfylde Street, Exeter EX1 2AH, UK
[*Tel.* Exeter (0392) 51558; *Fax* (0392) 425370]

*Production Editor:* Nigel Stoneman

**Subscription and Advertising Offices**
Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, UK
[*Tel.* Oxford (0865) 794141; *Fax* (0865) 60285]
Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

**Subscription Rates**
Annual Institutional Subscription Rates (1994): North, Central and South America, US$400, Rest of the World £260. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

**Back Issues**
Back issues of all previously published volumes, in both hard copy and in microform are available direct from Pergamon Press offices.

Published 6 issues/annum in January, March, May, July, September and November



Copyright © 1993 Pergamon Press Ltd



Second class postage paid at RAHWAY, NJ. Postmaster send address corrections to *Toxicology in Vitro*, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

# LIST OF CONTENTS

## VOLUME 7 NUMBER 1


*M. Andersson, F. Bocchio, O. Sterner, A. Forsby and L. Lewan* — 1 Structure–activity relationships for unsaturated dialdehydes 7. The membrane toxicity of 15 sesquiterpenoids measured as the induction of ATP leakage in ELD cells. The correlation of the activity with structural descriptors by the multivariate PLS method

*S. Endo-Capron, A. Renier, X. Janson, L. Kheuang and M. C. Jaurand* — 7 *In vitro* response of rat pleural mesothelial cells to talc samples in genotoxicity assays (sister chromatid exchanges and DNA repair)

*A. Gueniche and M. Ponec* — 15 Use of human skin cell cultures for the estimation of potential skin irritants

*M. Gülden* — 25 *In vitro* toxicity screening using cultured rat skeletal muscle cells. I. Surfactants and mitochondrial poisons

*S. Hagino, H. Itagaki, S. Kato and T. Kobayashi* — 35 Further evaluation of the quantitative chorioallantoic membrane test using trypan blue stain to predict the eye irritancy of chemicals

*K. Herrmann* — 41 Effects of the anticonvulsant drug valproic acid and related substances on the early development of the zebrafish (*Brachydanio rerio*)

*P. Jégo, N. Hubert, R. Moirand, I. Morel, N. Pasdeloup, A. Ocaktan, M. Abdallah, P. Brissot and G. Lescoat* — 55 Inhibition of iron toxicity in rat hepatocyte cultures by pyoverdin Pa A, the peptidic fluorescent siderophore of *Pseudomonas aeruginosa*

*T. Kondo, S. Takahashi, H. Sato, M. Yamada, T. Kikuchi and K. Furuya* — 61 Cytotoxicity of size–density fractionated coal fly ash in rat alveolar macrophages cultured *in vitro*

*A. M. Pillar, H. B. Jones, J. E. Dunnage, C. K. Atterwill and A. K. Prince* — 69 Effects of the neurotoxin ethylcholine mustard aziridinium in rat brain reaggregate cultures

*J. J. M. van de Sandt, A. A. J. J. L. Rutten and H. B. W. M. Koëter* — 81 Cutaneous toxicity testing in organ culture: neutral red uptake and reduction of tetrazolium salt (MTT)

**Brief Communication**

*C. Massart, C. Le Tellier, J. Gibassier, G. Leclech and M. Nicol* — 87 Modulation by dimethyl sulphoxide of the toxicity induced by *cis*-diamminedichloroplatinum in cultured thyrocytes

**Review Paper**

*W. W. Lovell* — 95 A scheme for *in vitro* screening of substances for photoallergenic potential

**Forthcoming Papers** — 103


## VOLUME 7 NUMBER 2


*H. Babich, A. Stern and E. Borenfreund* — 105 Eugenol cytotoxicity evaluated with continuous cell lines

*F. A. Barile, S. Arjun and D. Hopkinson* 111 *In vitro* cytotoxicity testing: biological and statistical significance

*K. Cain and J. A. Gurney* 117 Isolation and purification of proximal kidney cells by centrifugal elutriation

*J. A. Charlton and N. L. Simmons* 129 Established human renal cell lines: phenotypic characteristics define suitability for use in *in vitro* models for predictive toxicology

*A. Ghosh, A. Sharma and G. Talukder* 137 Clastogenic effects of caesium chloride on human peripheral blood lymphocytes *in vitro*

*S. A. M. Hotchkiss, P. Hewitt and J. Caldwell* 141 Percutaneous absorption of 4,4′-methylene-bis(2-chloroaniline) and 4,4′-methylenedianiline through rat and human skin *in vitro*

*T. Husøy, T. Syversen and J. Jenssen* 149 Comparisons of four *in vitro* cytotoxicity tests: the MTT assay, NR assay, uridine incorporation and protein measurements

*R. W. Lewis, J. C. McCall and P. A. Botham* 155 A comparison of two cytotoxicity tests for predicting the ocular irritancy of surfactants

*A. Lorenzen, C. A. James and S. W. Kennedy* 159 Effects of UV irradiation of cell culture medium on PCB-mediated porphyrin accumulation and EROD induction in chick embryo hepatocytes

*R. P. Moody and B. Nadeau* 167 An automated *in vitro* dermal absorption procedure: III. *In vivo* and *in vitro* comparison with the insect repellent *N,N*-diethyl-*m*-toluamide in mouse, rat, guinea pig, pig, human and tissue-cultured skin

*C. L. Parker, R. B. Finley, B. G. Wright, R. Nzeribe and J. Stewart* 177 The inhibitory effects of pentamidine on biochemical events in human liver cells

*A. Seelbach, B. Fissler, A. Strohbusch and S. Madle* 185 Development of a modified micronucleus assay *in vitro* for detection of aneugenic effects

**Forthcoming Papers** 195

## VOLUME 7 NUMBER 3

*C. L. Bai and N. H. Stacey* 197 Effects of carbon tetrachloride and chloroform on bile acid transport in isolated rat hepatocytes: relationship to elevated serum bile acids

*J. Bergquist, C. Strandberg, M. Andersson, O. Sterner, D. Pesando and J.-P. Girard* 205 Structure–activity relationships for unsaturated dialdehydes 8. Comparative effects of 10 sesquiterpenoids on the sea urchin gamete fertilization

*D. E. Chapman, S. R. Michener and G. Powis* 213 *In vitro* metabolism of [$^3$H]2,6-dinitrotoluene by human and rat liver

*M. F. Hughes, S. P. Shrivastava, H. L. Fisher and L. L. Hall* 221 Comparative *in vitro* percutaneous absorption of *p*-substituted phenols through rat skin using static and flow-through diffusion systems

*H. B. Johnston, S. M. Thomas and C. K. Atterwill* 229 Aluminium and iron induced metabolic changes in neuroblastoma cell lines and rat primary neural cultures

*V. Kefalas and N. H. Stacey* 235 Use of primary cultures of rat hepatocytes to study interactive toxicity: carbon tetrachloride and trichloroethylene

*U. Mårtensson and L. Nässberger* 241 Influence of antidepressants on mitogen stimulation of human lymphocytes

*G. D. C. Terlouw and R. Bechter* 247 Cytochrome *P*-450-dependent biotransformation of QA 208-199 in cultured rat conceptuses

*M. Usami, K. Sakemi, H. Tabata, K. Kawashima and A. Takanaka* 259 Developmental toxicity of 2-chlorodibenzofuran in cultured post-implantation rat embryos

*E. Whittle and D. A. Basketter* 265 The *in vitro* skin corrosivity test. Development of method using human skin

*E. Whittle and D. A. Basketter* 269 The *in vitro* skin corrosivity test. Comparison of *in vitro* human skin with *in vivo* data

*K. Xie and A. L. Harvey* 275 Evaluation of nerve cell toxicity *in vitro* by electrophysiological and biochemical methods

**Brief Communications**

*R. Bechter and G. D. C. Terlouw* 281 Strain differences in the control incidences of morphological abnormalities in the rat whole embryo culture

*K. M. Brown and G. J. Burin* 285 Cocaine-mediated disruption of microfilament integrity within neural-fold neuroepithelial cells of chick embryos cultured *in vitro*

**Forthcoming Papers** 291

## VOLUME 7 NUMBER 4

## SEVENTH INTERNATIONAL WORKSHOP ON IN VITRO TOXICOLOGY

*Diane J. Benford, Bas J. Blaauboer and Christoph A. Reinhardt* 293 Introduction

**Immunotoxicology**

*I. Kimber* 295 Epidermal cytokines in contact hypersensitivity: immunological roles and practical applications

*O. de Silva, M. J. Perez, N. Pineau, A. Rougier and K. G. Dossou* 299 Local lymph node assay: study of the *in vitro* proliferation and control of the specificity of the response by FACScan analysis

*R. Fautz and H. G. Miltenburger* 305 Immunotoxicity screening *in vitro* using an economical multiple endpoint approach

*F. N. A. M. van Pelt, T. L. Knight and J. G. Kenna* 311 Generation of trifluoroacetylated protein antigens in cultured rat hepatocytes exposed to halothane *in vitro*

*F. Verdier, F. Condevaux, R. Tedone, M. Virat and J. Descotes* 317 *In vitro* assessment of phagocytosis: interspecies comparison of chemiluminescence response

**Neurotoxicology**

*E. Walum, M. Nordin, M. Beckman and L. Odland* 321 Cellular methods for identification of neurotoxic chemicals and estimation of neurotoxicological risk

*M. Oortgiesen, R. Zwart, R. G. D. M. van Kleef and H. P. M. Vijverberg* 327 Nicotinic acetylcholine receptors in cultured cells as targets of neurotoxic compounds

*F. Monnet-Tschudi, M.-G. Zurich and P. Honegger* 335 Evaluation of the toxicity of different metal compounds in the developing brain using aggregating cell cultures as a model

*E. M. Abdulla and I. C. Campbell* 341 L-BMAA and kainate-induced modulation of neurofilament concentrations as a measure of neurite outgrowth: implications for an *in vitro* test of neurotoxicity

*N. Safran, A. Shainberg, R. Haring, D. Gurwitz and A. Shahar* 345 Selective neurotoxicity induced by lasalocid in dissociated cerebral cultures

*G. Repetto, P. Sanz and M. Repetto* 353 *In vitro* effects of mercuric chloride and methylmercury chloride on neuroblastoma cells

**Lung Toxicology**

*B. Nemery and P. H. M. Hoet* 359 Use of isolated lung cells in pulmonary toxicology

*W. Hadnagy, N. H. Seemayer, A. Happel and A. Kiell* 365 Human monocyte-derived macrophage cultures: an alternative test system for the detection of pulmonary toxicity induced by inhaled particulate pollutants

*S. Romet-Haddad, A. C. Dazy, C. Guennou and F. Marano* 373 Measurement of the epithelial barrier integrity in tracheal cell cultures exposed to irritant compounds

**Skin Toxicology**

*F. M. Dickson, J. N. Lawrence and D. J. Benford* 381 Surfactant-induced cytotoxicity in cultures of human keratinocytes and a commercially available cell line (3T3)

*F. M. Dickson, J. N. Lawrence and D. J. Benford* 385 Release of inflammatory mediators in human keratinocyte cultures following exposure to a skin irritant

*W. J. W. Pape, J. Degwert, F. Steckel and U. Hoppe* 389 Immunocompetent cells for *in vitro* screening of skin irritation

*R. W. Lewis, J. C. McCall, P. A. Botham and I. Kimber* 393 Investigation of the TNF-α release as a measure of skin irritancy

**Intestinal Toxicology**

*F. Zucco* 397 Freshly isolated cells and cell lines from the intestine as an *in vitro* model for toxicological studies

*O. Vincentini, I. De Angelis, A. Stammati and F. Zucco* 403 Functional alterations induced by the food contaminant furazolidone on the human tumoral intestinal cell line Caco-2

**Kidney Toxicology**

*H. McGlynn and M. P. Ryan* 407 *In vitro* mechanisms and models of gentamicin nephrotoxicity

*H. F. Bjerregaard* 411 Electrophysiological measurements of a toad renal epithelial cell line (A6) as an assay to evaluate cellular toxicity *in vitro*

*B. L'Azou and J. Cambar* 417 Prevention of cyclosporin-induced vasoconstrictive effect in rat isolated glomeruli with pharmacological vasoactive agents

*H. Hildebrand, F. W. Falkenberg, S. Schwengberg, G. Schlüter and E. Bomhard* 421 Preparation and characterization of a mouse monoclonal antibody against a rat kidney papillary antigen

**Liver Toxicology**

*P. Bouis, F. Bieri, B. Lang, H. Thomas and F. Waechter* 427 Effect of propaquizafop and its free-acid derivative on lauric acid hydroxylation and peroxisomal $\beta$-oxidation in primary cultured rat, mouse, guinea pig and marmoset hepatocytes

*P. Kremers, L. Roelandt, A. Todaro, N. Stouvenakers, M. Louvet, G. Goffinet and J. P. Thome* 433 Use of cultured hepatocytes as an alternative method to study the effects of PCBs on living organisms

*K. Mertens, V. Rogiers and A. Vercruysse* 439 Measurement of malondialdehyde in cultures of adult rat hepatocytes

*M. J. M. Toussaint, Th. A. Niewold and M. M. L. de Wit* 443 Effects of cytokines, bacterial endotoxin and hydrocortisone on primary hepatocyte cultures of rat and hamster

*J. Cao, E. Leibold, W. Beisker, T. Schranner, M. Nüsse and L. R. Schwarz* 447 Flow cytometric analysis of *in vitro* micronucleus induction in hepatocytes treated with carcinogens

*C. Guery, J. P. Stepniewski, B. Vannier, R. Fournex and G. Lorenzon* 453 Long-term culture of rat hepatocytes on porous membranes in hormonally defined serum-free medium

**Eye Toxicology**

*M. Berry and D. L. Easty* 461 Isolated human and rabbit eye: models of corneal toxicity

*P. Catroux, A. Rougier, K. G. Dossou and M. Cottin* 465 The silicon microphysiometer for testing ocular toxicity *in vitro*

*Ph. Vanparys, Gh. Deknudt, M. Sysmans, G. Teuns, W. Coussement and H. Van Cauteren* 471 Evaluation of the bovine corneal opacity–permeability assay as an *in vitro* alternative to the Draize eye irritation test

**Biotransformation**

*M. Akrawi, E. A. Shephard, I. R. Phillips, A. Vercruysse and V. Rogiers* 477 Effects of phenobarbital and valproate on the expression of cytochromes *P*-450 in co-cultured rat hepatocytes

*M. T. Donato, E. Herrero, M. J. Gómez-Lechón and J. V. Castell* 481 Inhibition of monooxygenase activities in human hepatocytes by interferons

*S. Coecke, A. Segaert, A. Vercruysse and V. Rogiers* 487 Expression of flavin-containing monooxygenase activity in adult rat hepatocytes under various culture conditions

*J.-M. Begue, P. Koch, G. Maurer and A. Guillouzo* 493 Maintenance of the biotransformation capacity by cultured human hepatocytes after several daily exposures to drugs

*J.-F. Dauphin, C. Graviere, D. Bouzard, S. Rohou, C. Chesne and A. Guillouzo* 499 Comparative metabolism of tosufloxacin and BMY 43748 in hepatocytes from rat, dog, monkey and man

**Validation**

*H. Spielmann, S. Kalweit, M. Liebsch, T. Wirnsberger, I. Gerner, E. Bertram-Neis, K. Krauser, R. Kreiling, H. G. Miltenburger, W. Pape and W. Steiling* 505 Validation study of alternatives to the Draize eye irritation test in Germany: cytotoxicity testing and HET–CAM test with 136 industrial chemicals

*E. Fortunati, P. Debetto, S. Borella and V. Bianchi* 511 Inhibition of cell growth and alteration of cytosolic calcium levels in the cytotoxicity evaluation of nine MEIC chemicals

*S. Wakuri, J. Izumi, K. Sasaki, N. Tanaka and H. Ono* 517 Cytotoxicity study of 32 MEIC chemicals by colony formation and ATP assays

**Miscellaneous**

*M. A. Miranda, J. V. Castell, M. J. Gómez-Lechón and L. A. Martinez* 523 *In vitro* photoperoxidation as an indicator of the potential photo-toxicity of non-steroidal anti-inflammatory 2-arylpropionic acids

*P. J. Dierickx* 527 Correlation between the reduction of protein content in cultured FHM fish cells and fish lethality data

*B. Marczynski, A. B. Czuppon, G. H. Schreiber, W. Marek and X. Baur* 531 DNA double-strand breaks and apoptosis after *in vitro* exposure to toluene diisocyanate

*H. Segner and D. Lenz* 537 Cytotoxicity assays with the rainbow trout $R_1$ cell line

*M. Rosenbruch, J. Kniepen and C. Weishaupt* 541 The early chick embryo as a model to evaluate cardiovascular effects of adrenaline and nicotine

*G. E. R. Schoeters, F. Vander Plaetse, H. Leppens and R. Van Den Heuvel* 547 Response of murine stromal bone marrow cultures to α-particle irradiation *in vivo* and *in vitro* at osteosarcomogenic α-radiation doses

*J. Heuer, S. Bremer, I. Pohl and H. Spielmann* 551 Development of an *in vitro* embryotoxicity test using murine embryonic stem cell cultures

**Announcements** 557

**Forthcoming Papers** 558

## VOLUME 7 NUMBER 5

*C. L. Galli, B. Viviani and M. Marinovich* 559 Cell cultures: a tool for the study of mechanisms of toxicity

*C. K. Atterwill, J. Davenport-Jones, S. Goonetilleke, H. Johnston, W. Purcell, S. M. Thomas, M. West and S. Williams* 569 New models for the *in vitro* assessment of neurotoxicity in the nervous system and the preliminary validation stages of a 'tiered-test' model

*G. Ciabattoni, P. Montuschi, D. Curró and P. Preziosi* 581 *In vitro* testing for lung toxicity

*A. M. Brady, R. L. Hasmall and B. M. Elcombe* 587 Comparison of the effects of griseofulvin and dihydropyridines on ferrochelatase activity and porphyrin accumulation in primary cultures of mouse and rat hepatocytes

*N. Giladi, M. Sutton, B. Lo, S. Przedborski, S. Fahn and J. L. Cadet* 595 Toxicity of the specific antimuscarinic agent methoctramine and other non-specific anticholinergic drugs in human neuroblastoma cell lines *in vitro*

*B. G. Lake, D. F. V. Lewis, T. J. B. Gray and J. A. Beamand* 605 Structure–activity relationships for induction of peroxisomal enzyme activities in primary rat hepatocyte cultures

*A. H. Piersma, A. S. Haakmat and A. M. Hagenaars* 615 *In vitro* assays for the developmental toxicity of xenobiotic compounds using differentiating embryonal carcinoma cells in culture

*H. Roche and G. Bogé* 623 Effects of Cu, Zn and Cr salts on antioxidant enzyme activities *in vitro* of red blood cells of a marine fish *Dicentrarchus labrax*

*L. E. Roseng and E. Rivedal* 631 TPA inhibition of gap junctional intercellular communication in Syrian hamster embryo cells through two different pathways

*L. E. Roseng, E. Rivedal and T. Sanner* 637 Effect of protein kinase C inhibitors on TPA-induced inhibition of gap junctional intercellular communication and induction of transformed morphology in Syrian hamster embryo cells

*M. A. Tirmenstein* 645 Comparative metabolism of bis(2-methoxyethyl) ether by rat and human hepatic microsomes: formation of 2-methoxyethanol

*M. T. Weiss and T. W. Sawyer* 653 Cytotoxicity of the MEIC test chemicals in primary neurone cultures

**Brief Communications**

*J. C. Cubria, R. Balaña Fouce, Al. Ortiz, M. L. Alvarez-Bujidos and D. Ordoñez* 669 Selective inhibition of mammalian diamine oxidase by aquatic biotoxins

*N. Sato, K. Fujii and O. Yuge* 673 Pentane formation and changes in fatty acid composition accompanying lipid peroxidation induced by carbon tetrachloride in guinea pig liver microsomes

**Announcements** 677

**Forthcoming Papers** 677

## VOLUME 7 NUMBER 6

## THIRD SYMPOSIUM: VERTEBRATE WHOLE EMBRYO CULTURE

*R. Bechter* vii Preface

**Session 1: Developmental Aspects**

*A. J. Copp, A. S. W. Shum and F. A. Brook* 679 Analysis of neural tube defects in a mouse mutant using whole embryo culture

*C. Jones, B. Greiner, F. Wächter, G. D. C. Terlouw and R. Bechter* 685 An immunohistochemical investigation into the presence and localization of cytochrome *P*-450 isozymes in organogenesis-stage rat conceptal tissue

*C. V. Barber, M. B. Carda and A. G. Fantel* 695 A new technique for culturing rat embryos between gestation days 14 and 15

**Session 2: Methodological Aspects**

*R. Bellairs* 701 Endpoints in the development of chick embryos

*H. Ninomiya, K. Kishida, Y. Ohno, K. Tsurumi and K. Eto* 707 Effects of trypan blue on rat and rabbit embryos cultured *in vitro*

*G. Van Maele-Fabry, F. Delhaise, F. Gofflot and J. J. Picard* 719 Developmental table of the early mouse post-implantation embryo

**Session 3A: Teratological/Toxicological Aspects—Mechanisms**

*S. Klug and D. Neubert* 727 The use of whole embryo culture to elucidate teratogenic mechanisms

*D. K. Hansen* 735 *In vitro* effects of folate derivatives on valproate-induced neural tube defects in mouse and rat embryos

*L. A. G. J. M. van Aerts, H. H. Klaasboer, N. S. Postma, J. C. L. M. Pertijs, J. H. J. Copius Peereboom, T. K. A. B. Eskes and J. Noordhoek* 743 Stereospecific *in vitro* embryotoxicity of L-homocysteine in pre- and post-implantation rodent embryos

*D. Lison, G. Van Maele-Fabry, F. Gofflot, J. J. Picard and R. Lauwerys* 751 Effects of retinoic acid, auranofin and mercuric chloride on plasminogen activator activity in post-implantation cultured mouse embryos

*J. E. Andrews, M. Ebron-McCoy, R. J. Kavlock and J. M. Rogers* 757 Lowering pH increases embryonic sensitivity to formate in whole embryo culture

**Session 3B: Teratological/Toxicological Aspects—Validation Studies, Industrial Applications**

*A. H. Piersma* 763 Whole embryo culture and toxicity testing

*L. A. G. J. M. van Aerts, S. J. M. Hahné, A. G. M. Oostendorp, J. C. L. M. Pertijs, P. H. S. Fijneman, R. P. Bos, J. H. J. Copius Peereboom and J. Noordhoek* 769 Sex difference in Aroclor 1254 induction of rat hepatocytes: consequences for *in vitro* embryotoxicity and mutagenicity of cyclophosphamide

*E. Giavini, M. L. Broccia, E. Menegola and M. Prati* 777 Comparative *in vitro* study of the embryotoxic effects of three glycol ethers and their metabolites, the alkoxyacids

*P. Kučera, E. Cano, P. Honegger, B. Schilter, J. A. Zijlstra and B. Schmid* 785 Validation of whole chick embryo cultures, whole rat embryo cultures and aggregating embryonic brain cell cultures using six pairs of coded compounds

*H. C. Bowden, J. M. Tesh and F. W. Ross* 799 Effects of female sex hormones in whole embryo culture

*K. Miháliková, E. Ujházy, E. Braxatorisová and P. Kučera* 803 Comparative teratological study of stobadin *in vivo* and *in vitro*

**Session 4: Clinical Aspects**

*G. Van Maele-Fabry, P. Therasse, E. Lenoir, J. P. Desager, K. Despontin, G. Gofflot, M. C. Jacobs, C. Lecart, P. Berthet, J. M. Lachapelle and J. J. Picard* 809 Embryotoxicity of human sera from patients treated with isotretinoin

*R. Abir, A. Ornoy, H. Ben Hur, P. Jaffe and H. Pinus* 817 IgG exchange as a means of partial correction of anomalies in rat embryos *in vitro*, induced by sera from women with recurrent abortion

*J. Zhao, N. Krafft, G. D. C. Terlouw and R. Bechter* 827 A model combining the whole embryo culture with human liver S-9 fraction for human teratogenic prediction

**Forthcoming Papers** 833

# TOXICOLOGY IN VITRO

*Instructions to Authors*

**General Information**

The Journal's main purpose will be the publication of **papers** reporting and interpreting original toxicological research involving the application or development of *in vitro* techniques. **Brief Communications** documenting important new findings warranting expeditious publication will also be considered, as will concise interpretative **reviews** of toxicological topics of contemporary significance. **Letters to the Editor** will be limited to comments on contributions already published in the Journal; if a letter is accepted, a response (for simultaneous publication) will be invited from the authors of the original contribution.

Submission of a paper will be held to imply that it reports original unpublished research, that it is not under consideration for publication elsewhere and that, if accepted for *Toxicology in Vitro*, it will not be published again, either in English or in any other language, without the Editors' consent.

*Three copies* of the manuscript should be submitted to one of the following Editors, and should be accompanied by a signed covering letter:

SHARAT D. GANGOLLI, *Medical Research Council, Toxicology Unit, Hodgkin Building, University of Leicester, PO Box 138, Lancaster Road, Leicester, LE1 9HN, UK*
I. F. H. PURCHASE, *Zeneca Central Toxicology Laboratory, Alderley Park, Macclesfield, Cheshire SK10 4TJ, UK*
D. ACOSTA, *Department of Pharmacology and Toxicology, College of Pharmacy, University of Texas, Austin, TX 78712, USA.*

**Manuscript Format**

Sheets should be typed on *one side of the paper only* and *double spaced* throughout, with at least 2.5-cm margins. All pages must be numbered, including the *Title Page*, which should carry the title of the paper, the surnames and initials of the authors, the names and addresses of the institutions where the work was done (with the affiliation of each author clearly indicated) and a short running title not exceeding 45 letters and spaces. Titles consisting of declarative or interrogative sentences are not acceptable. Provision of telephone and Fax numbers will assist the processing of contributions.

Manuscripts of original papers should be organized into the following sections, each commencing on a separate sheet:

*Abstract*—a self-contained summary of the objectives, results and significance of the study, not exceeding 200 words. Uninformative sentences such as "the significance of the results is discussed" are not acceptable.

*Introduction*—a concise and clear statement on the background, purposes and significance of the work.

*Materials and Methods*—a detailed description of the experimental design and of any new or improved methods. Well-established methods and techniques may be identified by reference only.

*Results*—presented concisely with the aid of tables or figures where appropriate. Duplication between this section and the Discussion must be avoided.

*Discussion*—a succinct interpretation of the data. Extensive literature reviews and highly speculative comment are discouraged.

*Acknowledgements*—providing recognition of sources of funding and donations of materials, and including any thanks the authors may wish to accord for advisory, technical or other assistance, since authorship should be limited to those who have made a major contribution to the study and to the preparation of the paper. Authors are advised to obtain approval for the wording of any acknowledgement from those whose help is noted.

*References*—listed in alphabetical order and including the names of all authors of the cited work. References to published papers should provide authors' names and initials, year of publication, full title of the paper, title of the journal (in full), volume number, and the first and last page numbers of the paper:

e.g. Wright A., Cowie H., Gormley I. P. and Davies J. M. G. (1986) The *in vitro* cytotoxicity of asbestos fibres: 1. $P388D_1$ cells. *American Journal of Industrial Medicine* **9,** 371–384.

References to books should include authors' names and initials, year of publication, title, edition, appropriate page number(s) and name and location of the publisher:

e.g. Foussereau J., Benezra C. and Maibach M. (1982) *Occupational Contact Dermatitis. Clinical and Chemical Aspects.* p. 277. Munksgaard, Copenhagen.

For multi-author books, the names and initials of the relevant authors, year of publication, title of the relevant chapter, title of the book, names and initials of all editors, numbers of first and last pages of the cited chapter and name and location of the publisher should be given:

e.g. Mather J. P. and Phillips D. M. (1984) Primary culture of testicular somatic cells. In *Methods for Serum-free Culture of Cells of the Endocrine System.* Edited by D. W. Barnes, D. A. Sirbasku & G. H. Sato. pp. 29–45. Alan R. Liss, New York.

Citations of references in the text should give the surname(s) of the author(s), together with the year of publication. For references with more than two authors, the name of the first followed by *et al.* should be cited. For papers with the same author(s) and year, the references should be distinguished in the text and reference list by the letters a, b etc. following the year. Authors names must not be typed in upper case letters in either text or reference list.
References may be listed if they are 'in press', but the journal that has accepted the paper for publication must be identified. Submitted papers or papers in preparation should not be listed; such work should be mentioned in the text only, as 'unpublished data' or 'personal communication' (with surnames, initials and year).

These sections should be followed by the tables in numerical order, each on a separate sheet, and finally by a typed list of the legends to the figures (see below).

**Tables and Figures**

These should be intelligible without reference to the text and should be planned to fit the page size of the Journal. Tables and figures should be numbered, in arabic numerals, in the sequence in which they are mentioned in the text. The same data may not be reproduced in both a table and a figure. Each table must have a title and on each column there should be a heading that clearly identifies the data therein. Illustrations and diagrams should be kept to a minimum; the figure number must appear only on the reverse side, together with the author's name and an arrow marking the top. Three copies of any half-tones (unmounted and on glossy paper) are required; for line drawings, an original (in black drawing ink on good quality paper) or a glossy print is required for reproduction, together with two clear photocopies for the referees. No information that can be included in the legend should appear on the figure and the following standard symbols are preferred for line drawings: ■ □ ● ○ ⊙ × ◇. The legends for photomicrographs must state the staining method and magnification. Authors should bear in mind that the figures they submit may be subjected to photographic reduction. The cost for illustrations in colour will be the responsibility of the contributor(s) (an estimate may be obtained from the Editorial Office at BIBRA).

If figures that have already been published under copyright are to be reproduced in the Journal (e.g. in reviews), copies of letters from the first publisher and the original author giving permission for such reproduction must accompany the submitted manuscript.

**Footnotes**

These should include the definitions of any abbreviations used in the text and any author's current address, if different from that on the title page. Other footnotes, as distinct from literature references, should be avoided in the text as far as possible. When they are essential, they should be identified by the symbols * † ‡ § ‖ ¶, in that order. All the footnotes except those for tables should be typed on a separate sheet, with an indication of the manuscript page to which the footnote refers.

**Nomenclature**

The metric system is the standard for all measurements. Test chemicals and enzymes must be clearly identified, wherever possible with the aid of CAS Registry and EC numbers.

**Abbreviations**

These should be used sparingly; they should be defined when first used in the paper but also listed in alphabetical order under *Abbreviations* as a footnote to the title page (see above).

**Page proofs**

These will be sent to the first-named author for correction unless an alternative recipient is named on the submitted manuscript. They should be returned (by Airmail) to the Editorial Office at BIBRA within 48 hours.

**Reprints**

A reprint order form will accompany the page proofs. This must be returned to the Editorial Office at BIBRA with the proofs. No payment should be included with the order as an invoice will be sent later.

*Typeset in Great Britain by BPCC Techset Ltd, Exeter. Printed by BPCC Wheatons Ltd, Exeter* **800**